

## Worldwide 60 m Frequency Chart

5250	5260	5270	5280	5290	5300	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400	5410	
	← Entire band 5260 kHz to ...					CW		QRP		DIGITAL		USB	PHONE	to 5410 kHz			Norway (LA, LB, JW, JX, 3Y) 5260 - 5410
← Entire band 5250 to 5310 kHz →																Bangladesh 5250 - 5310	
								5330.5		5346.5		5366.5	5371.5				USA 5 channels
	5258.5			5278.5		5288.5						5366.5	5371.5				U.K. 7 channels
	5258.5	5267.5				5288.5			5318.5		5327.5						Canada 7 channels Experimental
			5278.5		5288.5					5330.5		5346.5		5366.5	5371.5		Iceland 8 channels
	5258.5			5278.5		5288.5									5398.5	5403.5	Denmark Greenland 6 channels
			5278.6		5288.6		5298.6			5330.6		5346.6		5366.6	5371.6		Finland 8 channels
									5320.0						5395.0		New Zealand 2 channels
								5330.5		5346.5		5366.5	5371.5			5403.5	St. Lucia + other countries 5 channels

### Dial Frequency:

Above listed channel frequencies are "dial frequencies" as you see them on your radio.

The center-of-channel offset is already figured out for you.

(The center-of-channel is usually 1.5 kHz higher than the dial frequency).

The band edge frequencies are NOT dial frequencies. No emissions shall occur outside band edges!

### Emissions Modes:

The current worldwide standard for Amateur Radio on 5 MHz is **Upper Sideband (USB)**.

Other emission types are also in use. No bandwidth should exceed 2.7 kHz for all modes.

### Beacons:

5290 kHz - U.K. - 4 beacons (GM4SLV, G4IRX, G3WKL, G4ZFQ).

5194.5 kHz - Germany - DRA5.

The following commercial services may be used as beacons:

5000.0 kHz - WWV - Fort Collins, Colorado; 10 kW

5000.0 kHz - WWVH - Kauai, Hawaii; 10 kW

5446.0 kHz - AFRTS - Florida Keys; USB

5450.0 kHz - VOLMET RAF - UK; 10 kW USB

5505.0 kHz - VOLMET - Shannon, Ireland; 3 kW USB

### Emergency channels:

Australia - WIA has permission to use 5102 kHz and 5355 kHz for emergency communications.

Alaska - 5167.5 kHz used for emergency communications.

### NRRL Norwegian Proposed Activity Centers - NOTE that primary users have priority vs. amateur radio:

CW: 5310 kHz (5305 - 5315 kHz)

DIGITAL: 5355 kHz (5350 - 5360 kHz)

USB: 5375 kHz (5375 - 5394 kHz)

QRP: 5335 kHz (5335 - 5340 kHz)

INT CALL: 5403.5 kHz (International Calling Channel)

Norwegian - Norwegian VFO QSOs should NOT be made on the international frequency channels, and should be held at frequencies with interference-free distance to such channels and other users.

Please send updates and corrections to [la8oka@arrl.net](mailto:la8oka@arrl.net)

LA8OKA & LA4LN - 27 Nov. 2009